

**BEST AVAILABLE COPY**

Serial No: 10/089,147

Kindl et al.

PF 50815

Claim amendments:

Please amend claims 1-3, and 10-14 as set forth in the current listing of claims:

1. (currently amended) An isolated nucleic acid sequence which encodes a ~~polypeptide~~ fusion protein and which is composed of a combination of a ~~biosynthesis~~ nucleic acid sequence encoding a fatty acid or lipid metabolism and one of the following nucleic acids:
  - a) a nucleic acid sequence with the sequence shown in SEQ ID NO: 1,
  - b) nucleic acid sequences which are derived from the nucleic acid sequence shown in SEQ ID NO: 1 as the result of the degeneracy of the genetic code,
  - c) derivatives of the nucleic acid sequence shown in SEQ ID NO: 1 which encode polypeptides with the amino acid sequences shown in SEQ ID NO: 2 and which have at least ~~60%~~80% homology at the amino acid level,
  - ~~d) a nucleic acid sequence with the sequence shown in SEQ ID NO: 3 or the amino-terminal portion of the coding region of the sequence.~~
  
2. (currently amended) An isolated nucleic acid sequence as claimed in claim 1, wherein a sequence of the following protein groups is used as biosynthesis nucleic acid sequence of the fatty acid or lipid metabolism:
 

~~Acyl-CoA dehydrogenase(s), Acyl-ACP[=acyl-carrier protein] desaturase(s), Acyl-ACP thioesterase(s), fatty acid acyltransferase(s), fatty acid synthase(s), fatty acid hydroxylase(s), acetyl-coenzyme A-carboxylase(s), acyl-coenzyme A-oxidase(s), fatty~~

-7-  
 051121  
 10/089,147

Serial No: 10/089,147

Kindl et al.

PF 50815

acid desaturase(s), ~~fatty acid acetylases, lipoxygenases, triacylglycerol lipases,~~  
~~allene oxide synthases, hydroperoxide lyases and/or fatty acid elongase(s).~~

3. (currently amended) An isolated nucleic acid sequence as claimed in claim 1, wherein a sequence of the following protein groups is used as biosynthesis nucleic acid sequence of the fatty acid or lipid metabolism:

~~fatty acid acyltransferase(s),  $\Delta 4$  desaturase,  $\Delta 5$  desaturase,  $\Delta 6$  desaturase,  $\Delta 9$  desaturase,~~  
 ~~$\Delta 12$  desaturase,  $\Delta 15$  desaturase or a fatty acid elongase.~~

4. (previously presented) An isolated nucleic acid sequence as claimed in claim 1, wherein the derivatives mentioned under (c) have a homology at the amino acid level of 80%, over the entire region of the sequence shown in SEQ ID NO: 2.

5. (original) An amino acid sequence encoded by a nucleic acid sequence as claimed in claim 1.

6. (previously presented) An isolated nucleic acid construct comprising a nucleic acid sequence as claimed in claim 1, wherein the nucleic acid sequence is linked to one or more regulatory signals.

-8-  
051121  
10/089,147

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

7. (previously presented) The use of a nucleic acid sequence as claimed in claim 1 or of a nucleic acid construct comprising said nucleic acid sequence wherein the nucleic acid sequence is linked to one or more regulatory signals for the generation of transgenic plants.
8. (previously presented) A vector comprising a nucleic acid sequence as claimed in claim 1 or a nucleic acid construct comprising said nucleic acid sequence wherein the nucleic acid sequence is linked to one or more regulatory signals.
9. (original) A vector as claimed in claim 8, which is a linear or circular DNA, a phage, a virus, a transposon, a IS element, a phasmid, a phagemid, a cosmid or a plasmid.
10. (currently amended) ~~An~~ A non-human organism comprising at least one isolated nucleic acid sequence as claimed in claim 1, at least one isolated nucleic acid construct comprising said nucleic acid sequence wherein the nucleic acid sequence is linked to one or more regulatory signals or at least one vector comprising said nucleic acid sequence wherein the nucleic acid sequence is linked to one or more regulatory signals or a nucleic acid construct comprising said nucleic acid sequence wherein the nucleic acid sequence is linked to one or more regulatory signals.
11. (currently amended) ~~An~~ A non-human organism as claimed in claim 10, which is a eukaryotic organism.
12. (currently amended) ~~An~~ A non-human organism as claimed in claim 10, which is a plant,

Serial No: 10/089,147

Kindl et al.

DT970283

a eukaryotic microorganism or an animal.

13. (currently amended) ~~As~~ A non-human organism as claimed in claim 10, which is a plant, a fungus or a yeast.
14. (currently amended) ~~As~~ A non-human organism as claimed in claim 10, which is *Yarrowia lipolytica*, *Saccharomyces cerevisiae*, *Traustochytrium*, *Arabidopsis thaliana*, *Brassica napus* or *Linum usitatissimum*.
15. (previously presented) A transgenic plant comprising a nucleic acid sequence as claimed in claim 1 or a nucleic acid construct comprising said nucleic acid sequence.
16. (previously presented) A method of targeting proteins involved in lipid or fatty acid biosynthesis into liposomes or lipid bodies, which comprises combining the protein-encoding nucleic acids and one of the following sequences to give a joint protein-encoding sequence:
  - a) a nucleic acid sequence with the sequence shown in SEQ ID NO: 1,
  - b) nucleic acid sequences which are derived from the nucleic acid sequence shown in SEQ ID NO: 1 as the result of the degeneracy of the generic code,
  - c) derivatives of the nucleic acid sequence shown in SEQ ID NO: 1 which encode

Serial No: 10/089,147

Kindl et al.

DT970283

polypeptides with the amino acid sequences shown in SEQ ID NO: 2 and which have at least 60% homology at the amino acid level,

- d) a nucleic acid sequence with the sequence shown in SEQ ID NO: 3 or the amino-terminal portion of the coding region of this sequence, and introducing the resulting sequence into a eukaryotic organism.
17. (previously presented) A method of targeting proteins involved in lipid or fatty acid biosynthesis into liposomes or lipid bodies, which comprises introducing at least one nucleic acid sequence as claimed in claim 1 or at least one nucleic acid construct comprising said nucleic acid sequence wherein the nucleic acid sequence is linked to one or more regulatory signals into an oil-producing organism.
18. (previously presented) A method of producing fatty acids or lipids, which comprises introducing at least one nucleic acid sequence as claimed in claim 1 or at least one nucleic acid construct comprising said nucleic acid sequence wherein the nucleic acid sequence is linked to one or more regulatory signals into an oil-producing organism, growing this organism and isolating the oil contained in the organism.
19. (previously presented) A method of producing fatty acids, which comprises introducing at least one nucleic acid sequence as claimed in claim 1 or at least one nucleic acid construct comprising said nucleic acid sequence wherein the nucleic acid sequence is linked to one or more regulatory signals into an oil-producing organism, growing this

Serial No: 10/089,147

Kindl et al.

DT970283

organism, isolating the oil contained in the organism and liberating the fatty acids.

20. (previously presented) A method as claimed in claim 16, wherein the organism is a plant or a eukaryotic microorganism.

BEST AVAILABLE COPY

-12-  
051119